Journal of Statistical Planning and Inference 18 (1988) 405–406
North-Holland

AUTHOR INDEX*

Volume 18 (1988)

Ali, M.M. and A.H. Khan, On order statistics from the log-logistic distribution (1) 103–108
Bailey, R.A., Semi-Latin squares (3) 299–312
Baksalary, J.K. and P.D. Puri, Criteria for the validity of Fisher's condition for balanced block designs (1) 119–123
Bartoszyński, R. and S.M. Dynin, Asymptotic properties of the tumor growth curve estimator (1) 45–56
Berg, S. and J. Jaworski, Modified binomial and Poisson distributions with applications in random mapping theory (3) 313–322
Burdick, R.K., *see* T.-F.C. Lu (1) 35–43
Chandrasekar, B., An optimality criterion for vector unbiased statistical estimation functions (1) 115–117
Cohen, J.P. and S.S. Menjoge, One-sample run tests of symmetry (1) 93–100
Cuevas, A., Qualitative robustness in abstract inference (3) 277–289
Dale, M.R.T. and T.V. Narayana, The number of decision sets involving n means (3) 371–376
Dynin, S.M., *see* R. Bartoszyński (1) 45–56
Fraser, D.A.S. and H. Massam, Location inference on spheres and cylinders (2) 195–201
Gardiner, J.C., V. Susarla and J. Van Ryzin, On bounded length confidence intervals for quantiles of the survival distribution (2) 245–253
Gasim, A.A., First-order autoregressive models: A method for obtaining eigenvalues for weighting matrices (3) 391–398
Gastwirth, J.L. and J.-L. Wang, Control percentile test procedures for censored data (3) 267–276
Gijbels, I. and N. Veraverbeke, Weak asymptotic representations for quantiles of the product-limit estimator (2) 151–160
Graybill, F.A., *see* T.-F.C. Lu (1) 35–43
Hedayat, A.S. and D. Majumdar, Model robust optimal designs for comparing test treatments with a control (1) 25–33
Hodoshima, J., Locally most powerful rank tests for regression under truncation (2) 239–244
Huang, M.-N.L. and W.J. Studden, Model robust extrapolation designs (1) 1–24
Jaworski, J., *see* S. Berg (3) 313–322
Kageyama, S., *see* G.M. Saha (2) 255–265
Khan, M.K., Optimal Bayesian estimation of the median effective dose (1) 69–81
Khan, M.K. and A.A. Yazdi, On D-optimal designs for binary data (1) 83–91
Khosrovshahi, G.B. and E.S. Mahmoodian, BIB($9,18t,8t,4,3t$) designs with repeated blocks (1) 125–131
Kuwada, M. and R. Nishii, On the characteristic polynomial of the information matrix of balanced fractional s^m factorial designs of resolution $V_{p,q}$ (1) 101–114
Kuwada, M., A-optimal partially balanced fractional $2^{m_1+m_2}$ factorial designs of resolution V, with $4 \leq m_1 + m_2 \leq 6$ (2) 177–193

* The issue number is given in front of page numbers.

0378-3758/88/$3.50 © 1988, Elsevier Science Publishers B.V. (North-Holland)

Lahiri, P., *see* S.D. Peddada (3) 345–353
Lea, C.-D. and M.L. Puri, Asymptotic properties of linear functions of order statistics (2) 203–223
Lee, C.M.-S., Constrained optimal designs (3) 377–389
Lieblerf, R. and A.D. Meyerowitz, Partial geometric lattices, II: Association schemes (2) 161–176
Lu, T.-F.C., F.A. Graybill and R.K. Burdick, Confidence intervals on a difference of expected mean squares (1) 35–43
Mahmoodian, E.S., *see* G.B. Khosrovshahi (1) 125–131
Majumdar, D., *see* A.S. Hedayat (1) 25–33
Marsh, G.M., *see* B.R. Rao (3) 323–343
Masaro, J.C., On A-optimal block matrices and weighing designs when $N \equiv 3 \pmod 4$ (3) 363–370
Massam, H., *see* D.A.S. Fraser (2) 195–201
Menjoge, S.S., *see* J.P. Cohen (1) 93–100
Meyerowitz, A.D., *see* R. Liebler (2) 161–176
Mukerjee, R., *see* G.M. Saha (2) 255–265
Narayana, T.V., *see* M.R.T. Dale (3) 371–376
Nishii, R., *see* M. Kuwada (1) 101–114
Parihar, J.S. and R. Shrivastava, Methods of construction of group divisible designs (3) 399–404
Peddada, S.D. and P. Lahiri, The exact mean squared error of Stein-rule estimator in linear models (3) 345–353
Puri, M.L., *see* C.-D. Lea (2) 203–223
Puri, P.D., *see* J.K. Baksalary (1) 119–123
Rao, B.R. and G.M. Marsh, Approximate simultaneous inferential procedures for overall risk assessment of several competing causes in biomedical and epidemiologic studies (3) 323–343
Roussas, G.G., Nonparametric estimation in mixing sequences of random variables (2) 135–149
Rukhin, A.L., Improved estimation in lognormal regression models (3) 291–297
Saha, G.M., R. Mukerjee and S. Kageyama, Bounds on the numer of constraints for balanced arrays of strength t (2) 255–265
Shrivastava, R., *see* J.S. Parihar (3) 399–404
Studden, W.J., *see* M.-N.L. Huang (1) 1–24
Susarla, V., *see* J.C. Gardiner (2) 245–253
Van Ryzin, J., *see* J.C. Gardiner (2) 245–253
Veraverbeke, N., *see* I. Gijbels (2) 151–160
Wang, J.-L., *see* J.L. Gastwirth (3) 267–276
Wierich, W., A-optimal design measures for one-way layouts with additive regression (1) 57–68
Yazdi, A.A., *see* M.K. Khan (1) 83–91
Yeh, C.-M., A class of universally optimal binary block designs (3) 355–361
Zelterman, D., Robust estimation in truncated discrete distributions with application to capture–recapture experiments (2) 225–237